

GeDiPNet Shared-Gene Disease Pairs

Similarity: Jaccard index on shared curated genes (disease_gdp). Significance: upper-tail hypergeometric test ($P(X \geq k)$), Benjamini-Hochberg FDR-corrected across all tested pairs. Corroborated Shared Genes: count of shared genes backed by ≥ 2 distinct disease_gdp.main_source values combined across both diseases (e.g. GWAS-backed for one, ClinVar-backed for the other still counts); Shared Gene Names lists each gene's own source count in parentheses. Overlap Coefficient: shared genes / MIN(each disease's own total gene count) -- complements the Jaccard-based Similarity Score by showing how much of the SMALLER disease's entire known gene-set is covered by this pair, which Jaccard (dividing by the union) can understate. Shared Cluster: cluster id if both diseases fall in the same label-propagation cluster (scripts/build_disease_clusters.php), blank otherwise. See scripts/build_related.php on gedipnet.bicnirrh.res.in. Data as of: 2026-10-10 03:00:13. Filters applied: disease name contains "Synovitis, acne, pustulosis, hyperostosis, and osteitis" (5 matching pairs). · Rows: 5 · Generated: 2026-10-10 14:16:08

Disease A	Disease B	Shared Genes	Corroborated Shared Genes	Shared Gene Names	Similarity Score	Overlap Coefficient	P-value	FDR Q-value	Shared Cluster
Adult polyglucosan body disease	Synovitis, acne, pustulosis, hyperostosis, and osteitis	1	1	GBE1 (2)	0.04348	1.00000	1.429e-3	2.226e-3	
Dysferlinopathy	Synovitis, acne, pustulosis, hyperostosis, and osteitis	1	1	DYSF (3)	0.04348	1.00000	1.429e-3	2.226e-3	
glycogen storage disease due to glycogen branching enzyme deficiency	Synovitis, acne, pustulosis, hyperostosis, and osteitis	1	1	GBE1 (2)	0.04348	1.00000	1.429e-3	2.226e-3	
Sweat gland disease	Synovitis, acne, pustulosis, hyperostosis, and osteitis	1	0	TCERG1L (1)	0.04167	0.50000	2.856e-3	3.806e-3	
Synovitis, acne, pustulosis, hyperostosis, and osteitis	Urogenital neoplasms	1	1	WNT7A (4)	0.03704	0.20000	7.124e-3	8.431e-3	