

GeDiPNet Shared-Gene Disease Pairs

Similarity: Jaccard index on shared curated genes (disease_gdp). Significance: upper-tail hypergeometric test ($P(X \geq k)$), Benjamini-Hochberg FDR-corrected across all tested pairs. Corroborated Shared Genes: count of shared genes backed by ≥ 2 distinct disease_gdp.main_source values combined across both diseases (e.g. GWAS-backed for one, ClinVar-backed for the other still counts); Shared Gene Names lists each gene's own source count in parentheses. Overlap Coefficient: shared genes / MIN(each disease's own total gene count) -- complements the Jaccard-based Similarity Score by showing how much of the SMALLER disease's entire known gene-set is covered by this pair, which Jaccard (dividing by the union) can understate. Shared Cluster: cluster id if both diseases fall in the same label-propagation cluster (scripts/build_disease_clusters.php), blank otherwise. See scripts/build_related.php on gedipnet.bicnirrh.res.in. Data as of: 2026-10-10 03:00:13. Filters applied: disease name contains "combined immunodeficiency due to DOCK8 deficiency" (5 matching pairs). · Rows: 5 · Generated: 2026-10-10 12:36:23

Disease A	Disease B	Shared Genes	Corroborated Shared Genes	Shared Gene Names	Similarity Score	Overlap Coefficient	P-value	FDR Q-value	Shared Cluster
combined immunodeficiency due to DOCK8 deficiency	Insulin dependent diabetes mellitus secretory diarrhea syndrome	1	1	DOCK8 (2)	0.25000	1.00000	1.948e-4	5.354e-4	
Combined immunodeficiency disease	combined immunodeficiency due to DOCK8 deficiency	1	1	DOCK8 (5)	0.02222	1.00000	2.858e-3	3.806e-3	
combined immunodeficiency due to DOCK8 deficiency	Severe combined immunodeficiency	1	1	DOCK8 (2)	0.01923	1.00000	3.312e-3	4.310e-3	
Atopic dermatitis	combined immunodeficiency due to DOCK8 deficiency	1	1	DOCK8 (2)	0.01493	1.00000	4.286e-3	5.383e-3	
combined immunodeficiency due to DOCK8 deficiency	Nonsyndromic intellectual disability	1	1	DOCK8 (4)	0.00704	1.00000	9.157e-3	1.046e-2	