GeDiPNet Shared-Gene Disease Pairs

Similarity: Jaccard index on shared curated genes (disease_gdp). Significance: upper-tail hypergeometric test (P(X>=k)), Benjamini-Hochberg FDR-corrected across all tested pairs. Corroborated Shared Genes: count of shared genes backed by >=2 distinct disease_gdp.main_source values combined across both diseases (e.g. GWAS-backed for one, ClinVar-backed for the other still counts); Shared Gene Names lists each gene's own source count in parentheses. Overlap Coefficient: shared genes / MIN(each disease's own total gene count) -- complements the Jaccard-based Similarity Score by showing how much of the SMALLER disease's entire known gene-set is covered by this pair, which Jaccard (dividing by the union) can understate. Shared Cluster: cluster id if both diseases fall in the same label-propagation cluster (scripts/build_disease_clusters.php), blank otherwise. See scripts/build_related.php on gedipnet.bicnirrh.res.in. Data as of: 2026-10-20 03:00:20. Filters applied: disease name contains "Central conducting lymphatic anomaly" (5 matching pairs). · Rows: 5 · Generated: 2026-10-20 06:32:07

Disease A	Disease B	Shared Genes	Corroborated Shared Genes	Shared Gene Names	Similarity Score	Overlap Coefficient	P-value	FDR Q-value	Shared Cluster
Central conducting lymphatic anomaly	Choriocarcinoma of testis	1	0	ARAF (1)	0.05000	1.00000	1.227e-3	1.808e-3	
Central conducting lymphatic anomaly	Histiocytic and dendritic cell neoplasm	1	0	ARAF (1)	0.06667	1.00000	9.039e-4	1.411e-3	
Alveolar soft part sarcoma	Central conducting lymphatic anomaly	1	0	ARAF (1)	0.10000	1.00000	5.811e-4	1.000e-3	
Central conducting lymphatic anomaly	Juvenile xanthogranuloma	1	0	ARAF (1)	0.11111	1.00000	5.165e-4	9.125e-4	
Central conducting lymphatic anomaly	Diffuse lymphatic malformation	1	1	ARAF (2)	0.50000	1.00000	6.457e-5	1.985e-4	